

SALEM STAINLESS

STEEL SUPPLIERS PVT. LTD.



CHERISHING THE STAINLESS JOURNEY

SINCE 1984

"Towards a Stainless World"

INTRODUCTION

Salem Stainless Steel Suppliers Pvt. Ltd. (SSSSPL) specializes in the distribution and processing of Stainless Steel Raw Material, dedicated to providing our esteemed customers with materials that conform to the highest standards of processing. Our Service Center facilities, located in Chennai and Secunderabad, are equipped with state-of-the-art Slitting, Cut To Length, Blanking, and Polishing Lines supplied by leading equipment manufacturers from across the world





Established in the year 1984, Salem Stainless Steel Suppliers (P) Ltd. is headquartered in Chennai, India. The company is a pioneering stockist and distributor of stainless steel raw materials. We have set benchmarks of excellence in the field of supplying ferrous and non-ferrous metals, serving a diverse range of industries. Our specialization extends to a wide array of products, where we have carved a niche as one of the leading stockists, importers, and suppliers of **Stainless Steel Coils**, **Plates, Sheets, Pipes, Angles, Flats, Bars & Fittings**. Experiencing remarkable growth in this domain, we have etched an indelible mark in the minds of global clients through our commitment to superior quality products. Our presence in the vibrant market economy is underscored by a turnover exceeding INR 5.5 billion.

Catering to various industries, we have maintained our position among the foremost players in the Stainless Steel Industry. Driven by the aspiration for professional excellence, we have cultivated strong relationships with reliable manufacturing companies in India and around the world. Our primary goal is to ensure absolute customer satisfaction, and we pledge to deliver quality products and exceptional service.

AN ISO 9001:2015 COMPANY

SSSSPL maintains an extensive inventory encompassing all product ranges within a fully equipped and well-furnished warehouse. Our team of technicians is dedicated to expertly handling the materials, ensuring precision and care.

The young and dynamic team behind SSSSPL are strong believers in the maxim:




Introducing Grippy Sheets





Salem Stainless Steel Suppliers Pvt. Ltd. introduces Grippy Sheets - slip-resistant, chequered stainless steel designed to transform the most demanding environments into safe and productive areas.

Our SS Sheets are processed to create a perfect design that minimizes the risk of slipping and enhances protection against corrosion and foot traffic on any surface.



Grades:

All Major Stainless Steel Grades like 202, 304, 304L, 316L, 321, 409M CK201, 430 etc.,

Thickness and Size Range:

0.8 mm thk to 3.0 mm thk Width 1250 x 2500, 1500 x 3000, 1250 x any length, 1500 x any length

Any other custom dimensions can also be processed and supplied.

Advantages of Stainless Steel Grippy Sheets over Wood, Aluminium & Mild Steel High strength to Weight ratio Longer life cycle, hence reduced life cycle, each cycle cycle cycle cycle.

ADVANTAGES

Higher Tensile
Strength because of cold forming

Fire resistance Highest oxidation resistance at high temperatures

life cycle cost

Rust free & Hygienic



Specification	Stainless Steel Grippy	Conventional Carbon Steel Chequered	Aluminium Chequered	Wood Chequered
Strength to weight ratio	Very High	Medium	Low	Low
Maintanance	Very Low	Medium	Medium	Very High
Life cycle of the product	Very High	Medium	Medium	Low
fire resistance	Very High	High	Medium	Very Low

PRODUCT RANGE - GENERAL



Width Size :1000.00 to 1500mm
Thickness : 0.20mm to 12.0 mm

Grade : 202, 304,304L,304CK,316,316 L,409,409M

Finish : 2B, Matt, Mirror

AISI 201, 202, 301, 304, 304L, 316, 316L, 317, 317L, 309, 310, 310S, 321, 409, 410, 420, 430, 409m, 436, 439 among others.



Thickness Dia : 5.00mm mm to 150.0 mm

Grade : 202, 304, 304L, 316, 316 L

Finish : Polish Bright, Black, Export Bright

AISI 201, 202, 301, 304, 304L, 316, 316L, 317, 317L, 309, 310, 310S, 321, 409, 410, 420, 430, 409m, 436, 439 among others.



Size : C Type, Equal Angle, Unequal Angle

Thickness: 3.00mm mm to 12.0 mm

Grade : 202, 304, 304L, 316, 316 L, 409

Finish : HR, Matt

AISI 201, 202, 301, 304, 304L, 316, 316L, 317, 317L, 309, 310, 310S, 321, 409, 410, 420, 430, 409m, 436, 439 among others.

STAINLESS STEEL SEAMLESS & ERW PIPE

Size : 3.0mmOD to 600mm" OD
Thickness : Sch-5 to Sch-160 (1/8" to 24")
Grade : 304, 304 L, 316, 316 L



Width Size: 1000.00 to 1500mm Thickness: 0.50 mm to 5.00 mm

Grade: 202, 304, 304L, 316, 316 L, 409, 409M

Finish : 2B, Matt, Mirror (up to 2.0mm)

AISI 201, 202, 301, 304, 304L, 316, 316L, 317, 317L, 309, 310, 310S, 321, 409, 410, 420, 430, 409m, 436, 439 among others.



Size : 3/8" OD to 4" OD Thickness : 0.80 mm to 4.0 mm

Grade : JT, J4, 304, 304 L, 316, 316 L

Finish : 2B, Matt, Mirror



Width Size: 1000.00 to 1500mm
Thickness: 5.00 mm to 100.00 mm

Grade : 202, 304, 304L, 316, 316 L, 409.

Finish : HR, N1

AISI 201, 202, 301, 304, 304L, 316, 316L, 317, 317L, 309, 310, 310S, 321, 409, 410, 420, 430, 409m, 436, 439 among others.

All types of fitting elbow, Valves, tee, stubend, reducer, flange, union, coupling, bends etc. All the items are avilable in all grades of Stainless Steel



SCHEDULE PIPES WEIGHT CHART

Nominal	Naminal	Outside	Wall Thickness & Weight											
Pipe Size	Nominal	Diameter		Sch. 5S		Sch.	105	Sch.	405	Sch. 80S		Sch. 160S		
mm	Inch	mm	Inch	Wall Thick	Weight Kg/Mtr.									
6	1/8	10.3	0.405	1.00	0.23	1.24	0.28	1.73	0.37	2.41	0.47	_	_	
8	1/4	13.7	0.540	1.20	0.37	1.65	0.50	2.24	0.64	3.02	0.82	_	_	
10	3/8	17.2	0.675	1.20	0.47	1.65	0.64	2.31	0.87	3.20	1.12	_	_	
15	1/2	21.3	0.840	1.65	0.81	2.11	1.02	2.77	1.29	3.73	1.62	4.75	1.97	
20	3/4	26.7	1.050	1.65	1.05	2.11	1.3	2.87	1.71	3.91	2.93	5.56	2.93	
25	1	33.4	1.315	1.65	1.31	2.77	2.12	3.38	2.54	4.55	3.29	6.35	4.30	
32	1.25	42.2	1.660	1.65	1.67	2.77	2.73	3.56	3.44	4.85	4.56	6.35	5.69	
40	1.5	48.3	1.900	1.65	1.93	2.77	3.16	3.68	4.11	5.08	5.49	7.14	7.35	
50	2	60.3	2.375	1.65	2.42	2.77	3.99	3.91	5.52	5.54	7.60	8.74	11.26	
65	2.5	73.03	2.875	2.11	3.75	3.05	5.34	5.16	8.77	7.01	11.59	9.53	14.91	
80	3	88.9	3.500	2.11	4.59	3.05	6.56	5.49	11.47	7.62	15.51	11.13	21.3	
100	4	114.3	4.500	2.11	5.93	3.05	8.50	6.02	16.07	8.56	22.66	13.49	33.54	
125	5	141.3	5.563	2.77	9.61	3.40	11.74	6.55	21.08	9.53	31.00	15.88	49.11	
150	6	168.3	6.625	2.77	11.35	3.40	14.04	7.11	28.68	10.97	42.56	18.24	67.53	
200	8	219.1	8.625	2.77	15.01	3.76	20.27	8.18	43.18	12.70	64.64	23.01	111.27	
250	10	273.0	10.75	3.40	22.95	4.19	28.20	9.27	60.31	12.70	81.55	28.58	172.33	
300	12	323.9	12.75	3.96	31.72	4.57	36.54	9.53	73.85	12.70	97.43	33.32	238.68	
350	14	355.6	14.00	3.96	34.87	4.78	41.99	11.13	98.54	_	_	_	_	
400	16	406.4	16.00	4.19	42.20	4.78	48.07	12.07	123.3	_	_	_	_	
450	18	457.2	18.00	4.19	47.53	4.78	54.15	14.27	155.86	_	_	_	-	
500	20	508.0	20.00	4.78	60.23	5.54	69.70	15.09	183.42	_	_	_	_	
600	24	609.6	24.00	5.54	82.57	6.35	94.52	17.48	255.41	-	-	-	-	

POLISHED PIPES WEIGHT CHART

	Dimensions (in mm) & Weights (in Kgs)													
		Round			Square					Rectangle				
Sizes	1.2mm	1.5mm	2.0mm	3.0mm	Sizes	1.2mm	1.5mm	2.0mm	3.0mm	Sizes	1.2mm	1.5mm	2.0mm	3.0mm
12.7	2	2.46	3.16	~	10X10	2	2.46	3.16	~	13X26	5.21	5.24	6.9	~
15.8	2.56	3.16	4.1	~	12X12	2.56	3.16	4.1	~	10X40	5.31	6.12	8.77	~
19.05	3.11	3.85	5.03	~	15X15	3.11	3.85	5.03	~	20X40	6.41	8.02	10.64	~
25.4	4.21	5.24	6.9	10.16	20X20	4.21	5.24	6.9	~	25X50	8.07	10.11	20.74	21.96
31.75	5.31	6.63	8.77	13.00	25X25	5.31	6.63	8.77	14.64	60X40	10.82	13.58	18.11	27.60
38.1	6.41	8.02	10.64	16.50	30X30	6.41	8.02	10.64	17.56	80X40	13.03	16.36	21.85	35.16
50.8	8.62	10.8	14.38	21.9	40X40	8.62	10.8	14.38	21.40	30X10	4.21	5.24	6.9	~
63.5	10.82	13.58	18.11	27.7	50X50	10.82	13.58	18.11	32.40	25X75	10.82	13.58	18.11	~
76.2	13.03	16.36	21.82	33.4	60X60	13.03	16.36	21.85	35.13	50X10	6.41	8.02	10.64	~
101.6	~	22.93	30.42	45.14	80X80	~	22.93	30.42	45.14	10X20	3.11	3.85	5.03	~
127	~	28.75	38.18	56.82	100X100	~	28.75	38.18	56.82	100X50	~	21.44	28.29	41.51

CHEMICAL ANALYSIS

14Guage - 2.0mm

10Guage - 3.0mm

20Guage - .95mm

16Guage - 1.2mm

THICKNESS

18Guage - 1.0mm

Grade		%С	%Mn	%S	%P	%Si	%Ni	%Cr	%N	%Mo	%Cu	%Ti	%Nb	%Nb
JT/	Min	0.00	9.00	0.00	0.00	0.00	0.25	14.50	0.25	-	-	-	-	-
SS 202	Max	0.10	10.00	0.01	0.100	0.75	0.35	16.50	0.35	-	-	-	-	-
	Min	0.00	0.00	0.00	0.000	0.00	8.00	17.50	0.00	-	-	-	-	-
SS 304	Max	0.07	2.00	0.03	0.045	1.00	10.50	19.50	0.11	-	-	-	-	-
SS 316	Min	0.00	0.00	0.00	0.000	0.00	10.00	16.50	0.00	-	-	-	-	-
	Max	0.03	2.00	0.30	0.045	1.00	14.00	18.20	0.10	-	-	-	-	-

IN HOUSE FACILITIES







33 Lawyer Chinna Thambi Street, Kondithope, Chennai - 600 079. Tamil Nadu Ph: +91 44 4966 5555 | M: +91 98842 30736 email: info@ssssgroup.com | www.ssssgroup.com

WAREHOUSING & SERVICE CENTRE:

57/222, GNT Road, Puzhal, Chennai - 600 066.

LOCATIONS

Chennai, Mumbai, New Delhi Hyderabad, Coimbatore, Cochin and growing....

and upcoming Baroda, Dubai, Colombo & Kolkatta

